

**SHENLAN**

# DTG PRINTER

## 全新视觉定位 绣印一体

小单快返 **SL-DTG-X1S** 荣耀上市  
QUICK CASHBACK SIMPLE AND PRACTICAL



CE



SGS



# 4大亮点 成就不凡

Achieve extraordinary 4 advantages

## 1 POINT 01

分辨率  
可达1800 dpi  
清晰细腻

Resolution up to 1800 dpi  
Clear and delicate

## 2 POINT 02

360° 喷头保护  
使用寿命更久

360° protection print head  
For longer lifespan

## 3 POINT 03


色彩还原度  
高达95%以上  
减少调色工作

Up to 95% color reproduction  
Reducing color mixing work

## 4 POINT 04

占用面积小  
不限面料底色  
灵活方便

Small dot area  
Unlimited fabric base color  
Flexible and convenient




### EPSON I3200 打印头

达到业界 1200DPI 峰值分辨率，创造出卓越的照片质量  
Using Epson I3200 high-precision printing head



### 视觉定位系统

专为多工艺叠加设计，与绣花工艺无缝对接  
Seamless integration with embroider technology



### 光电防撞系统

避免喷头因碰撞而造成损失  
Intelligent anti-collision car to avoid printing head damage




### 工位快拆台板设计

专为多用途设计，方便打印更大横幅材质，更换快捷  
Quick replacement of the platen for easy printing of larger banner



### 进口THK高速静音导轨

进口静音导轨，打印精度更高，速度更快更耐用  
THK Silent guide rail, higher accuracy, faster speed, and more durable




### 行业一线品牌高端板卡

稳定性更好，色彩控制更佳，减少调色时间  
High end board with high stability and better color control



### 全自动可调速墨水循环系统

大幅度减少白墨堵塞，节约成本  
Automatic white ink circulation system to reduce white ink blockage



### 一键式电控吸墨系统

一键清洗喷头，操作更简单，清洗更透澈  
One click cleaning of the nozzle, simpler operation and clearer cleaning



### 智能语音提示缺墨报警系统

避免因缺墨干打造成的喷头损坏  
Automatic ink out alarm to avoid printing head damage caused by ink out

产品型号 PRODUCT MODEL	SL-DTG-X1S		
产品图片 PRODUCT IMAGE			
喷头 PRINT HEAD	喷头型号	Print Head Model	EPSON i3200 / i3200HD (可选 Option)
	喷头数量	Number Of Print Heads	2
	喷头喷射力度	Jet force Of Printing Head	2-3(mm)
	喷孔数量	Number Of Spray Holes	3200个
	喷孔间距	Spray Hole Spacing	1/300 inch
	喷孔列数	Number Of Spray Hole Columns	8
	墨水颜色数量	Ink Color Quantity	5色 / 9色 (可选 5-color/9-color Option)
	喷头物理分辨率	Physical Resolution	300npi/1列, 600npi/2列, 1200npi/4列
参数 PARAMETER	打印软件	Printing Software	Hosonsoft Rip
	打印效率	Printing Efficiency	6PASS A4 Size: 45 pcs/h A3 Size: 23 pcs/h
	最高打印分辨率	Max Printing Resolutio	720x1800 dpi
	可打印幅面	Printable Format	400*500(mm)
	打印方式	Printing Method	白彩同出 White and color simultaneous printing
	打印颜色	Print Color	●●●●●●●○ / ●●●●●●○ (可选 Option)
	打印厚度	Print Thickness	Max 25(mm)
	打印介质	Print Media	棉、麻、真丝、帆布、牛仔等其他纺织面料 Other textile fabrics such as cotton, linen, silk, canvas, denim, etc
	机器尺寸	Machine Size	≈1100*1080*580(mm)
	净重	Net Weight	≈ 108KG
	包装尺寸	Packaging Size	≈ 1280*1260*760(mm)
	毛重	Gross Weight	≈ 120KG
	电源电压	Supply Voltage	AC220/110V, 50HZ~60HZ, 400W
	工作环境	Work Environment	温度Temperature: 20°C-28°C, 湿度Humidity: 35%-65%
其他 OTHER ITEMS	连接方式	Connection Method	USB 2.0
	墨水类型	Ink Type	环保型涂料墨水 Environmentally friendly paint ink
	墨水存放(遮光)	Ink Storage (shading)	温度Temperature:20°C-28°C, 湿度Humidity:35%-65%
	图文件格式	Graphic Format	JPG,TIF,EPS,PDF,PNG
	上市时间	Time To Market	2024
	产品产地	Place Of Origin	佛山 China Foshan
	包装规格	Packaging Specifications	台 Set
	机器颜色	Machine Color	黑、白、灰 Black, White, Grey
	打印机类型	Printer Type	数字喷墨打印机 Digital Inkjet Printer (DTG Printer For Clothing Fabrics)

# 匠心智造 一机多用

CRAFTED WITH CRAFTSMANSHIP, VERSATILE WITH ONE MACHINE

色彩饱和  
SATURATED  
COLOR



柔软透气  
SOFT AND  
BREATHABLE



手感自然  
NATURAL  
FEEL



色牢稳定  
STABLE  
COLOR



片装

Piece packaging



片装+半成品

Semi-finished products



成衣+T恤

Ready to wear + T-shirt



卫衣

Hoodie

## 样品开发 SAMPLE DEVELOPMENT

T恤装、牛仔衣、POLO衫、团体服等, 样品开发, 与多工位机器相结合, 换机大货不变色

Clothing denim canvas bag, sample development, combined with multi-station machines, with no color change during machine replacement for bulk goods



拉链卫衣

Zipper hoodie



口袋卫衣

Pocket hoodie



牛仔衣

Denim clothing



牛仔裤

Jeans

## 电商定制 PERSONALIZED CUSTOMIZATION

小批量生产, 个性化定制, 一件起印, 节约成本

Personalized customization, small batch production, one piece printing, cost saving

广州企亚数码科技有限公司

Guangzhou Qiya Digital Technology Co., Ltd.

佛山市南海区大沥镇泌冲建设大道北1-3号ECAT巴洛克3楼338

佛山市南海区里水镇沙步工业区沙步中路14号

+86-18588647376

1688 qiya883.1688.com

www.qiyay.com

Alibaba fsshelan.en.alibaba.com



白墨印花资讯